

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Anti-Beta 2 Microglobulin B2M Antibody Picoband (monoclonal, 2H10), Clone: [Clone: 2H10], Mouse, Monoclonal BOB-M00456-2**

|                          |                                                                                                                                                                                                                                                              |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname              | Anti-Beta 2 Microglobulin B2M Antibody Picoband (monoclonal, 2H10), Clone: [Clone: 2H10], Mouse, Monoclonal                                                                                                                                                  |
| Artikelnummer            | BOB-M00456-2                                                                                                                                                                                                                                                 |
| Hersteller Artikelnummer | M00456-2                                                                                                                                                                                                                                                     |
| Alternativnummer         | BOB-M00456-2-100UG,BOB-M00456-2-10UG                                                                                                                                                                                                                         |
| Hersteller               | Boster Bio                                                                                                                                                                                                                                                   |
| Wirt                     | Mouse                                                                                                                                                                                                                                                        |
| Kategorie                | Antikörper                                                                                                                                                                                                                                                   |
| Applikation              | FC, ICC, IF, IHC, WB                                                                                                                                                                                                                                         |
| Spezies Reaktivität      | Human, Monkey                                                                                                                                                                                                                                                |
| Immunogen                | E.coli-derived human Beta 2 Microglobulin recombinant protein (Position: Q22-M119). Human Beta 2 Microglobulin shares 69.4% and 74.5% amino acid (aa) sequence identity with mouse and rat Beta 2 Microglobulin, respectively.                               |
| Produktbeschreibung      | Boster Bio Anti-Beta 2 Microglobulin B2M Antibody Picoband (monoclonal, 2H10) catalog M00456-2. Tested in Flow Cytometry, IF, IHC, ICC, WB applications. This antibody reacts with Human, Monkey. The brand Picoband indicates this is a premium antibody... |
| Klonalität               | Monoclonal                                                                                                                                                                                                                                                   |
| Konzentration            | Adding 0.2 ml of distilled water will yield a concentration of 500 µg/ml.                                                                                                                                                                                    |

|                        |                                                                                                                                                                                              |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Klon-Bezeichnung       | [Clone: 2H10]                                                                                                                                                                                |
| Molekulargewicht       | 12 kDa                                                                                                                                                                                       |
| UniProt                | <a href="#">P61769</a>                                                                                                                                                                       |
| Puffer                 | Each vial contains 4mg Trehalose, 0.9mg NaCl, 0.2mg Na <sub>2</sub> HPO <sub>4</sub> , 0.05mg NaN <sub>3</sub> .                                                                             |
| Reinheit               | Immunogen affinity purified.                                                                                                                                                                 |
| Formulierung           | Lyophilized                                                                                                                                                                                  |
| Application Verdünnung | Western blot, 0.1-0.5µg/ml Immunohistochemistry (Paraffin-embedded Section), 0.5-1µg/ml Immunocytochemistry/Immunofluorescence, 2µg/ml Flow Cytometry (Fixed), 1-3µg/1x10 <sup>6</sup> cells |