

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat IgG anti-Mouse IgG (Fc)-Biotin, MinX Bo,Ca,Ck,Dg,Ho,Hu,Mo,Rb,Sh,Sw NMB-GAM/IGG(FC)/BIO

Artikelname	Goat IgG anti-Mouse IgG (Fc)-Biotin, MinX Bo,Ca,Ck,Dg,Ho,Hu,Mo,Rb,Sh,Sw
Artikelnummer	NMB-GAM/IGG(FC)/BIO
Hersteller Artikelnummer	GAM/IgG(Fc)/Bio
Alternativnummer	NMB-GAM/IGG(FC)/BIO
Hersteller	NordicMubio
Wirt	Goat
Kategorie	Antikörper
Spezies Reaktivität	Mouse
Konjugation	Biotin
Format	IgG
Spezifität	IgG (Fc)
Minimale Kreuzreaktivität (MinX)	Bovine,Feline,Gallus,Canine,Equine,Human,Monkey,Rabbit,Sheep,Porcine
Produktbeschreibung	The reactivity of the antiserum is directed to the Fc subunit of the IgG molecule. The antiserum contains antibodies to subclass-specific determinants as well as to determinants shared by two or more subclasses of IgG. In immunoelectrophoresis and do...
Klonalität	Polyclonal

Klon-Bezeichnung	[Polyclonal]
Puffer	Biotin-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distilled water, spun d
Quelle	Purified normal IgG, including all known subclasses, isolated from pooled mouse serum. Freund's complete adjuvant is used in the first step of the immunization procedure.
Formulierung	Biotin
Formel	Biotin-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity.
Antibody Type	Secondary Antibody
Anwendungsbeschreibung	ELISA, Immunocytochemistry, Immunohistochemistry (paraffin), Dot blot, Immunoblotting.