BIOZOL

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Bovine IgG anti-Goat IgG (H+L)-FITC, MinX Bo,Ck,Gp,Hs,Ho,Hu,Ms,Rb,Rt JIM-805-095-180

Artikelname	Bovine IgG anti-Goat IgG (H+L)-FITC, MinX Bo,Ck,Gp,Hs,Ho,Hu,Ms,Rb,Rt
Artikelnummer	JIM-805-095-180
Hersteller Artikelnummer	805-095-180
Alternativnummer	JIM-805-095-180
Hersteller	Jackson ImmunoResearch
Wirt	Bovine
Kategorie	Antikörper
Spezies Reaktivität	Goat
Konjugation	FITC
Format	IgG
Spezifität	IgG (H+L)
Minimale Kreuzreaktivität (MinX)	Bovine,Gallus,Guinea pig,Hamster (syrian),Equine,Human,Mouse,Rabbit,Rat
Klonalität	Polyclonal

Puffer	Buffer: 0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6. Stabilizer: 15 mg/ml Bovine Serum Albumin (IgG-Free, Protease-Free). Preservative: 0.05% Sodium Azide
Reinheit	AffiniPure
Formulierung	Freeze-dried solid
Lagerung	Storage and Rehydration: Store freeze-dried solid at 2-8°C. Rehydrate with the indicated volume of dH2O and centrifuge if not clear. Prepare working dilution on day of use. Product is stable for about 6 weeks at 2-8°C as an undiluted liquid. Extended...
Antibody Type	Secondary Antibody
Application Verdünnung	_x000D_ 1:50 - 1:200 for most applications_x000D_ _x000D_ Dilution factors are presented in the form of a range because the optimal dilution is a function of many factors, such as antigen density, permeability, etc. The actual dilution used must be...