

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant Methylobacterium nodulans 2,3,4,5-tetrahydropyridine-2,6-dicarboxylate N-succinyltransferase(dapD),Escherichia Coli Preis auf Anfrage CSB-EP491425MTB

Artikelname	Recombinant Methylobacterium nodulans 2,3,4,5-tetrahydropyridine-2,6-dicarboxylate N-succinyltransferase(dapD),Escherichia Coli Preis auf Anfrage
Artikelnummer	CSB-EP491425MTB
Hersteller Artikelnummer	CSB-EP491425MTB
Alternativnummer	CSB-EP491425MTB-1, CSB-EP491425MTB-100, CSB-EP491425MTB-20
Hersteller	Cusabio
Kategorie	Proteine/Peptide
Tag	The tag type will be determined during production process.
UniProt	B8IHY5
Puffer	Tris/PBS-based buffer, 6% Trehalose, pH 8.0
Quelle	E.coli
Reinheit	Greater than 85% as determined by SDS-PAGE.
Formulierung	Lyophilized powder

Sequenz	MSHADLARTI EAAWEDRASV GPTTQGTVRE AVEAALALLD SGQARVAEKS GSADWQVNQW LKKAVLLSFR LNDMSVIPGG PGGAAWWDKV PSKFEGWDAD RFRAAGFRAV PGAVVRRGSY IAPGAVLMPS FVNLGAYVGE GTMVDTWATI GSCAQVGKNC HISGGAGIAG VLEPLQANPV IEDNCFIGA RAEVAEGVIV GEGSVLSMGV YIGASTKIID RATGEVMYGR VP
Anwendungsbeschreibung	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.