

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant Clostridium botulinum DNA integrity scanning protein DisA(disA),Escherichia Coli Preis auf Anfrage CSB-EP501282DUE

Artikelname	Recombinant Clostridium botulinum DNA integrity scanning protein DisA(disA),Escherichia Coli Preis auf Anfrage
Artikelnummer	CSB-EP501282DUE
Hersteller Artikelnummer	CSB-EP501282DUE
Alternativnummer	CSB-EP501282DUE-1, CSB-EP501282DUE-100, CSB-EP501282DUE-20
Hersteller	Cusabio
Kategorie	Proteine/Peptide
Spezies Reaktivität	Clostridium
Tag	The tag type will be determined during production process.
UniProt	C3KVS9
Puffer	Tris/PBS-based buffer, 6% Trehalose, pH 8.0
Quelle	E.coli
Reinheit	Greater than 85% as determined by SDS-PAGE.
Formulierung	Lyophilized powder
Sequenz	MRIEKDKELM NILKIMAPGT PLREGLENIL RAKTGGLLIL GDSDQILKLV DGGFKINSEY SPSYVYELAK MDGSIVLSSD LKKILCANAQ LIPDSSIPTF ETGTRHRTAD RVAKQTGAIV IAISQRRNII TVYKGGIKYV LRDSSIILAR ANQALQTLEK YVAVLDRVVN NLNILEFKDI ATLFVDLTAI QRSEMVMRIV SEIERYICEL GNEGRLIDMQ LSELIKSVEE DG

Anwendungsbeschreibung	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.
------------------------	--