

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant Flavobacterium johnsoniae UDP-N-acetylglucosamine--N-acetylmuramyl-(pentapeptide) pyrophosphoryl-undecaprenol N-acetylglucosamine transferase, Escherichia Coli Preis auf Anfrage CSB-EP400013FDT

Artikelname	Recombinant Flavobacterium johnsoniae UDP-N-acetylglucosamine--N-acetylmuramyl-(pentapeptide) pyrophosphoryl-undecaprenol N-acetylglucosamine transferase, Escherichia Coli Preis auf Anfrage
Artikelnummer	CSB-EP400013FDT
Hersteller Artikelnummer	CSB-EP400013FDT
Alternativnummer	CSB-EP400013FDT-1, CSB-EP400013FDT-100, CSB-EP400013FDT-20
Hersteller	Cusabio
Kategorie	Proteine/Peptide
Tag	The tag type will be determined during production process.
UniProt	A5FIY3
Puffer	Tris/PBS-based buffer, 6% Trehalose, pH 8.0
Quelle	E.coli
Reinheit	Greater than 85% as determined by SDS-PAGE.
Formulierung	Lyophilized powder
Sequenz	MTKYKFILSG GGTGGHIYP AIAANELKLQ FPDAEFLVVG AKDKMEMQKV PQAGYEIKGL WIAGLQRKLT LQNMMFPLKL ASSLLESKRI IKKFKPNVVI GTGGFASGPL LQAAGSAGIP TVVQE QNSFP GITNKLLSKK ANAICVAYEN LERFFPKEKI VLTGNPVRQD LIDIDTKRDE AIAFYGLDPN KKTLLVLGGS LGARRINQLI EKELQNFLSQ DVQIIWQCGK LY

Anwendungsbeschreibung	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.
------------------------	--