

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant Mycobacterium tuberculosis 1D-myo-inositol 2-acetamido-2-deoxy-alpha-D-glucopyranoside deacetylase(mshB),Escherichia Coli Preis auf Anfrage CSB-EP404517MON

Artikelname	Recombinant Mycobacterium tuberculosis 1D-myo-inositol 2-acetamido-2-deoxy-alpha-D-glucopyranoside deacetylase(mshB),Escherichia Coli Preis auf Anfrage
Artikelnummer	CSB-EP404517MON
Hersteller Artikelnummer	CSB-EP404517MON
Alternativnummer	CSB-EP404517MON-1, CSB-EP404517MON-100, CSB-EP404517MON-20
Hersteller	Cusabio
Kategorie	Proteine/Peptide
Spezies Reaktivität	Bacteria
Tag	The tag type will be determined during production process.
UniProt	A5U1L9
Puffer	Tris/PBS-based buffer, 6% Trehalose, pH 8.0
Quelle	E.coli
Reinheit	Greater than 85% as determined by SDS-PAGE.
Formulierung	Lyophilized powder

Sequenz	MSETPRLLFV HAHPDDESLS NGATIAHYTS RGAQVHVVTC TLGEEGEVIG DRWAQLTADH ADQLGGYRIG ELTAALRALG VSAPIYLGGA GRWRDSGMAG TDQRSQRRFV DADPRQTVGA LVAIIRELRP HVVVTYDPNG GYGHPDHVHT HTVTTAAVAA AGVGSGTADH PGDPWTVPKF YWTVLGLSAL ISGARALVPD DLRPEWVLPR ADEIAFGYSD DGIDAVVEAD EQ
Anwendungsbeschreibung	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.