

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant Pseudomonas putida UDP-N-acetylglucosamine--N-acetylmuramyl-(pentapeptide) pyrophosphoryl-undecaprenol N-acetylglucosamine transferase, Escherichia Coli Preis auf Anfrage CSB-EP405102PZN

Artikelname	Recombinant Pseudomonas putida UDP-N-acetylglucosamine--N-acetylmuramyl-(pentapeptide) pyrophosphoryl-undecaprenol N-acetylglucosamine transferase, Escherichia Coli Preis auf Anfrage
Artikelnummer	CSB-EP405102PZN
Hersteller Artikelnummer	CSB-EP405102PZN
Alternativnummer	CSB-EP405102PZN-1, CSB-EP405102PZN-100, CSB-EP405102PZN-20
Hersteller	Cusabio
Kategorie	Proteine/Peptide
Tag	The tag type will be determined during production process.
UniProt	A5W8Q0
Puffer	Tris/PBS-based buffer, 6% Trehalose, pH 8.0
Quelle	E.coli
Reinheit	Greater than 85% as determined by SDS-PAGE.
Formulierung	Lyophilized powder
Sequenz	MAAEGKNVLI MAGGTGGHVF PALACAREFQ KRGYSVHWLG TPRGIENELV PQAGLPLHLI QVSGLRGKGK LSLLKAPFTL VKAVLQARRI IRQLKPVCVL GFGGYVTGPG GVAARLCGVP LVIHEQNARA GTANRLLVPL SARVCEAFPN TFEASDKRRT TGNPVRPELF MDAQRVPLGE RRARLLVLGG SLGAEPLNKL LPKALSEVPA ALRPEVFHQA GKQHAPITAE RY

Anwendungsbeschreibung

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.