

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant Dechloromonas aromatica UDP-N-acetylglucosamine--N-acetylmuramyl-(pentapeptide) pyrophosphoryl-undecaprenol N-acetylglucosamine transferase(murG),Escherichia Coli Preis auf Anfrage CSB-EP670667DAAH

Artikelname	Recombinant Dechloromonas aromatica UDP-N-acetylglucosamine--N-acetylmuramyl-(pentapeptide) pyrophosphoryl-undecaprenol N-acetylglucosamine transferase(murG),Escherichia Coli Preis auf Anfrage
Artikelnummer	CSB-EP670667DAAH
Hersteller Artikelnummer	CSB-EP670667DAAH
Alternativnummer	CSB-EP670667DAAH-1, CSB-EP670667DAAH-100, CSB-EP670667DAAH-20
Hersteller	Cusabio
Kategorie	Proteine/Peptide
Spezies Reaktivität	Bacteria
Tag	The tag type will be determined during production process.
UniProt	Q47AA4
Puffer	Tris/PBS-based buffer, 6% Trehalose, pH 8.0
Quelle	E.coli
Reinheit	Greater than 85% as determined by SDS-PAGE.
Formulierung	Lyophilized powder

Sequenz	MSKTILVMAG GTGGHIFPAL AVAHKLRDAG WRVVWLGNPE GMEARLVPQH GFEMVWIKFS ALRGKGILRK LLLPVNLLRG FWQGLKAIRQ VKPNVVLGMG GYITFPGGMM AALTGVPLVL HEQNSVAGLA NRVLASVADR IVTGFPDVIK NGTWVGPNPVR PEIAAIAAPA ERFAERTGAL RLLVIGGSLG AQVLNEMVPQ AMALLGESDQ PQIVHQAGEK HIEALKANYA AV
Anwendungsbeschreibung	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.