

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

**CD27 (Tumor Necrosis Factor Receptor Superfamily 7) (LPFS2/2034R),  
CF740 conjugate, 0.1mg/mL, Clone: [LPFS2/2034R], CF 740, Rabbit,  
Monoclonal  
BOT-BNC742034-100**

|                          |                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname              | CD27 (Tumor Necrosis Factor Receptor Superfamily 7) (LPFS2/2034R), CF740 conjugate, 0.1mg/mL, Clone: [LPFS2/2034R], CF 740, Rabbit, Monoclonal                                                                                                                |
| Artikelnummer            | BOT-BNC742034-100                                                                                                                                                                                                                                             |
| Hersteller Artikelnummer | BNC742034-100                                                                                                                                                                                                                                                 |
| Alternativnummer         | BOT-BNC742034-100-100UL                                                                                                                                                                                                                                       |
| Hersteller               | Biotium                                                                                                                                                                                                                                                       |
| Wirt                     | Rabbit                                                                                                                                                                                                                                                        |
| Kategorie                | Antikörper                                                                                                                                                                                                                                                    |
| Applikation              | IHC                                                                                                                                                                                                                                                           |
| Spezies Reaktivität      | Human                                                                                                                                                                                                                                                         |
| Immunogen                | Recombinant full-length human CD22 protein (exact sequence is proprietary)                                                                                                                                                                                    |
| Konjugation              | CF 740                                                                                                                                                                                                                                                        |
| Produktbeschreibung      | This antibody recognizes a protein of a disulfide-linked 120 kDa dimer, identified as CD27. It is expressed on the majority of peripheral T cells, medullary thymocytes, memory-type B cells, and natural killer cells. It is a transmembrane phosphoglyco... |
| Klonalität               | Monoclonal                                                                                                                                                                                                                                                    |

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Konzentration          | 0.1 mg/mL                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Klon-Bezeichnung       | [LPFS2/2034R]                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Molekulargewicht       | 120 kDa                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| UniProt                | <a href="#">P26842</a>                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Puffer                 | PBS, 0.1% rBSA, 0.05% azide                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Quelle                 | Animal                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Anwendungsbeschreibung | <p>Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris buffer with 1 mM EDTA pH 9.0 for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user</p> |