

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

TLE1 (Synovial Sarcoma Marker) (TLE1/2062), CF740 conjugate, 0.1mg/mL, Clone: [TLE1/2062], CF 740, Mouse, Monoclonal BOT-BNC742062-100

Artikelname	TLE1 (Synovial Sarcoma Marker) (TLE1/2062), CF740 conjugate, 0.1mg/mL, Clone: [TLE1/2062], CF 740, Mouse, Monoclonal
Artikelnummer	BOT-BNC742062-100
Hersteller Artikelnummer	BNC742062-100
Alternativnummer	BOT-BNC742062-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC, WB
Spezies Reaktivität	Human
Immunogen	Recombinant human TLE1 fragment (aa 175-338) (exact sequence is proprietary)
Konjugation	CF 740
Produktbeschreibung	Key players in the Notch pathway are the TLE genes, which are human homologs of the Drosophila groucho gene. Groucho is a transcriptional repressor that plays a key role in neurogenesis, segmentation and sex determination. Transducin-like enhancer pr...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[TLE1/2062]
Molekulargewicht	83 kDa
UniProt	Q04724
Puffer	PBS, 0.1% rBSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user