

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Anti-ATP citrate lyase ACLY Antibody Picoband (monoclonal, 5I2), Clone: [Clone: 5I2], Mouse, Monoclonal BOB-M02372-1-CARRIER-FREE**

|                          |   |
|--------------------------|---|
| Artikelname              | Anti-ATP citrate lyase ACLY Antibody Picoband (monoclonal, 5I2), Clone: [Clone: 5I2], Mouse, Monoclonal   |
| Artikelnummer            | BOB-M02372-1-CARRIER-FREE   |
| Hersteller Artikelnummer | M02372-1-carrier-free   |
| Alternativnummer         | BOB-M02372-1-CARRIER-FREE-100UG   |
| Hersteller               | Boster Bio  |
| Wirt                     | Mouse   |
| Kategorie                | Antikörper  |
| Applikation              | FC, ICC, IF, IHC, WB  |
| Spezies Reaktivität      | Human, Mouse, Rat   |
| Immunogen                | E. coli-derived human ATP citrate lyase recombinant protein (Position: M1-I180). Human ATP citrate lyase shares 95% amino acid (aa) sequence identity with both mouse and rat ATP citrate lyase.  |
| Produktbeschreibung      | Boster Bio Anti-ATP citrate lyase ACLY Antibody Picoband (monoclonal, 5I2) catalog M02372-1. Tested in Flow Cytometry, IF, IHC, ICC, WB applications. This antibody reacts with Human, Mouse, Rat. The brand Picoband indicates this is a premium antibody... |
| Klonalität               | Monoclonal  |
| Konzentration            | Adding 0.2 ml of distilled water will yield a concentration of 500 µg/ml.   |

|                        |   |
|------------------------|---|
| Klon-Bezeichnung       | [Clone: 5I2]  |
| Molekulargewicht       | Observed Molecular Weight: 121 kDa  |
| NCBI                   | <a href="#">47</a>  |
| UniProt                | <a href="#">P53396</a>  |
| Puffer                 | Each vial contains 4mg Trehalose, 0.9mg NaCl, 0.2mg Na <sub>2</sub> HPO <sub>4</sub> , 0.05mg NaN <sub>3</sub> .  |
| Reinheit               | Immunogen affinity purified.  |
| Formulierung           | Lyophilized   |
| Target-Kategorie       | ATP-citrate synthase  |
| Application Verdünnung | Western blot, 0.1-0.5µg/ml Immunohistochemistry (Paraffin-embedded Section), 0.5-1µg/ml Immunocytochemistry/Immunofluorescence, 2µg/ml, Human Flow Cytometry (Fixed), 1-3µg/1x10 <sup>6</sup> cells |