

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant Human CD63 Protein ABB-RP01627

| | |
|--------------------------|---|
| Artikelname | Recombinant Human CD63 Protein |
| Artikelnummer | ABB-RP01627 |
| Hersteller Artikelnummer | RP01627 |
| Alternativnummer | ABB-RP01627-20UG, ABB-RP01627-50UG, ABB-RP01627-10UG, ABB-RP01627-100UG |
| Hersteller | ABclonal |
| Wirt | Human |
| Kategorie | Proteine/Peptide |
| Spezies Reaktivität | Human |
| Immunogen | Ala103-Val203 |
| Produktbeschreibung | The cluster of differentiation (CD) system is commonly used as cell markers in Immunophenotyping. Different kinds of cells in the immune system can be identified through the surface CD molecules which associating with the immune function of the cell.... |
| Konzentration | < 0.1 EU/ μ g of the protein by LAL method. |
| Molekulargewicht | 12.37 kDa |
| NCBI | 967 |
| UniProt | P08962 |
| Reinheit | 95 % as determined by SDS-PAGE. |

| | |
|------------------------|---|
| Formulierung | Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4. |
| Target-Kategorie | CD63 |
| Application Verdünnung | Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4. |
| Anwendungsbeschreibung | <p>Cross-Reactivity: Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles., ResearchArea: Bio-Markers & CD Antigens</p> |