

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Recombinant Human FCRL2/FCRH2 /IRTA4 Protein ABB-RP01984

|                          |   |
|--------------------------|---|
| Artikelname              | Recombinant Human FCRL2/FCRH2 /IRTA4 Protein  |
| Artikelnummer            | ABB-RP01984   |
| Hersteller Artikelnummer | RP01984   |
| Alternativnummer         | ABB-RP01984-50UG, ABB-RP01984-100UG, ABB-RP01984-20UG   |
| Hersteller               | ABclonal  |
| Wirt                     | Human   |
| Kategorie                | Proteine/Peptide  |
| Spezies Reaktivität      | Human   |
| Immunogen                | Leu20-Asp395  |
| Produktbeschreibung      | FCRL2/FCRH2 /IRTA4, belongs to the family of glycoprotein homologs of classical immunoglobulin (Ig) Fc receptors. In human, the type I transmembrane FCRL protein family contains from three to nine immunoglobulin-like domains . Mature human FcRH2 cons... |
| Konzentration            | < 0.1 EU/µg of the protein by LAL method.   |
| Molekulargewicht         | 41.89 KDa   |
| NCBI                     | <a href="#">79368</a>   |
| UniProt                  | <a href="#">Q96LA5</a>  |
| Reinheit                 | 95 % as determined by SDS-PAGE.   |
| Formulierung             | Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.   |

|                        |  |
|------------------------|--|
| Target-Kategorie       | FCRL2, FCRH2, IFGP4, IRTA4, SPAP1, UNQ9236/PRO31998  |
| Application Verdünnung | Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.  |
| Anwendungsbeschreibung | Cross-Reactivity: Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles., ResearchArea: Bio-Markers & CD Antigens |