

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### GCSF Antibody, Clone: [SPM468], Mouse, Monoclonal NSJ-V2472IHC-7ML

|                          |                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname              | GCSF Antibody, Clone: [SPM468], Mouse, Monoclonal                                                                                                                                                                                                             |
| Artikelnummer            | NSJ-V2472IHC-7ML                                                                                                                                                                                                                                              |
| Hersteller Artikelnummer | V2472IHC-7ML                                                                                                                                                                                                                                                  |
| Alternativnummer         | NSJ-V2472IHC-7ML                                                                                                                                                                                                                                              |
| Hersteller               | NSJ Bioreagents                                                                                                                                                                                                                                               |
| Wirt                     | Mouse                                                                                                                                                                                                                                                         |
| Kategorie                | Antikörper                                                                                                                                                                                                                                                    |
| Applikation              | IHC-P                                                                                                                                                                                                                                                         |
| Spezies Reaktivität      | Human                                                                                                                                                                                                                                                         |
| Immunogen                | Nuclei from pokeweed mitogen stimulated human peripheral blood lymphocytes was used as the immunogen for the GCSF antibody.                                                                                                                                   |
| Produktbeschreibung      | This mAb recognizes granulocyte-colony stimulating factor (G-CSF) in the cytoplasm of mature granulocytes. It shows no reactivity with any other cell types. Markers of myeloid cells are useful in the identification of different levels of cellular dif... |
| Klonalität               | Monoclonal                                                                                                                                                                                                                                                    |
| Klon-Bezeichnung         | [SPM468]                                                                                                                                                                                                                                                      |
| UniProt                  | <a href="#">P09919</a>                                                                                                                                                                                                                                        |
| Reinheit                 | Protein G affinity chromatography                                                                                                                                                                                                                             |

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Formulierung           | Prediluted in 1X PBS, 0.1 mg/ml BSA (US sourced), 0.05% sodium azide, *For IHC use only*                                                                                                                                                                                                                                                                                                                                                             |
| Antibody Type          | Primary Antibody                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Application Verdünnung | The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.                                                                                                                                                                                                                                          |
| Anwendungsbeschreibung | Optimal dilution of the GCSF antibody should be determined by the researcher.1. Staining of formalin-fixed tissues requires boiling tissue sections in pH 9 10mM Tris with 1mM EDTA for 10-20 min followed by cooling at RT for 20 min2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min. |