

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Cytochrome C Antibody, Clone: [CYCS/1010], Mouse, Monoclonal NSJ-V2789IHC-7ML

|                          |                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname              | Cytochrome C Antibody, Clone: [CYCS/1010], Mouse, Monoclonal                                                                                                                                                                                                  |
| Artikelnummer            | NSJ-V2789IHC-7ML                                                                                                                                                                                                                                              |
| Hersteller Artikelnummer | V2789IHC-7ML                                                                                                                                                                                                                                                  |
| Alternativnummer         | NSJ-V2789IHC-7ML                                                                                                                                                                                                                                              |
| Hersteller               | NSJ Bioreagents                                                                                                                                                                                                                                               |
| Wirt                     | Mouse                                                                                                                                                                                                                                                         |
| Kategorie                | Antikörper                                                                                                                                                                                                                                                    |
| Applikation              | IHC-P                                                                                                                                                                                                                                                         |
| Spezies Reaktivität      | Human                                                                                                                                                                                                                                                         |
| Immunogen                | Recombinant human protein was used as the immunogen for the Cytochrome C antibody.                                                                                                                                                                            |
| Produktbeschreibung      | Cytochrome C, or CYCS, is an electron carrier protein. The oxidized form of the CYCS heme group can accept an electron from the heme group of the Cytochrome C1 subunit of cytochrome reductase. CYCS then transfers this electron to the cytochrome oxida... |
| Klonalität               | Monoclonal                                                                                                                                                                                                                                                    |
| Klon-Bezeichnung         | [CYCS/1010]                                                                                                                                                                                                                                                   |
| UniProt                  | <a href="#">P99999</a>                                                                                                                                                                                                                                        |
| Reinheit                 | Protein G affinity chromatography                                                                                                                                                                                                                             |

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Formulierung           | Prediluted in 1X PBS, 0.1 mg/ml BSA (US sourced), 0.05% sodium azide, *For IHC use only*                                                                                                                                                                                                                                                                                                                                                                     |
| Antibody Type          | Primary Antibody                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Application Verdünnung | The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.                                                                                                                                                                                                                                                  |
| Anwendungsbeschreibung | Optimal dilution of the Cytochrome C antibody should be determined by the researcher.1. Staining of formalin-fixed tissues requires boiling tissue sections in pH 9 10mM Tris with 1mM EDTA for 10-20 min followed by cooling at RT for 20 min2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min. |