

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **CDw17 Antibody / Lactosylceramide / LaCer, Clone: [HuLy-m13], Mouse, Monoclonal NSJ-V3052-20UG**

Artikelname	CDw17 Antibody / Lactosylceramide / LaCer, Clone: [HuLy-m13], Mouse, Monoclonal
Artikelnummer	NSJ-V3052-20UG
Hersteller Artikelnummer	V3052-20UG
Alternativnummer	NSJ-V3052-20UG
Hersteller	NSJ Bioreagents
Wirt	Mouse
Kategorie	Antikörper
Applikation	FACS, IF
Spezies Reaktivität	Human
Immunogen	Beta-2 Microglobulin associated proteins from a detergent lysate of human PBLs were used as the immunogen for the CDw17 antibody.
Produktbeschreibung	CD17/CDw17 is an intermediate glycosphingolipid from the metabolism of higher gangliosides that localizes to sphingolipid-sterol rafts. CD17 is detectable in monocytes, granulocytes, basophils, platelets, a subset of peripheral B cells (CD19+) and to...
Klonalität	Monoclonal
Klon-Bezeichnung	[HuLy-m13]
UniProt	Not known

Reinheit	PEG precipitation
Formulierung	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide
Antibody Type	Primary Antibody
Application Verdünnung	Flow cytometry: 0.5-1ug/10 <sup>6</sup> cells, Immunofluorescence: 0.5-1ug/ml
Anwendungsbeschreibung	Optimal dilution of the CDw17 antibody should be determined by the researcher.