

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

von Willebrand Factor Antibody Cocktail, Clone: [3E2D10 + VWF635], Mouse, Monoclonal NSJ-V3167-20UG

Artikelname	von Willebrand Factor Antibody Cocktail, Clone: [3E2D10 + VWF635], Mouse, Monoclonal
Artikelnummer	NSJ-V3167-20UG
Hersteller Artikelnummer	V3167-20UG
Alternativnummer	NSJ-V3167-20UG
Hersteller	NSJ Bioreagents
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC-P
Spezies Reaktivität	Human
Immunogen	A partial recombinant human protein was used as the immunogen for this vWF antibody.
Produktbeschreibung	von Willebrand Factor (vWF) is a multimeric glycoprotein that is found in endothelial cells, plasma and platelets. It acts as a carrier protein for Factor VIII and promotes platelet adhesion and aggregation. vWF undergoes a variety of posttranslation...
Klonalität	Monoclonal
Klon-Bezeichnung	[3E2D10 + VWF635]
UniProt	P04275

Reinheit	Protein G affinity chromatography
Formulierung	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide
Antibody Type	Primary Antibody
Application Verdünnung	Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT
Anwendungsbeschreibung	The optimal dilution of the von Willebrand Factor antibody for each application should be determined by the researcher.1. Staining of formalin-fixed tissues requires boiling tissue sections in pH 9 10mM Tris with 1mM EDTA for 10-20 min followed by cooling at RT for 20 minutes.