

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant Basic Cytokeratin Antibody / Rabbit Monoclonal, Clone: [KRTH/2147R] NSJ-V3812-20UG

| | |
|--------------------------|---|
| Artikelname | Recombinant Basic Cytokeratin Antibody / Rabbit Monoclonal, Clone: [KRTH/2147R] |
| Artikelnummer | NSJ-V3812-20UG |
| Hersteller Artikelnummer | V3812-20UG |
| Alternativnummer | NSJ-V3812-20UG |
| Hersteller | NSJ Bioreagents |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Applikation | FACS, IF, IHC-P, WB |
| Spezies Reaktivität | Human, Mouse, Rat |
| Immunogen | Solubilized keratin extract from human stratum corneum was used as the immunogen for the recombinant Basic Cytokeratin antibody. |
| Produktbeschreibung | This antibody recognizes CK1, CK5, CK10 and CK14. In normal epithelia, it stains stratified epithelia, myoepithelial cells and basal cells in the prostate gland and bronchi. This MAb shows no reactivity with hepatocytes, pancreatic acinar cells, prox... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [KRTH/2147R] |
| UniProt | Q01546 |

| | |
|------------------------|---|
| Reinheit | Protein A affinity chromatography |
| Formulierung | 0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide |
| Antibody Type | Primary Antibody |
| Application Verdünnung | Flow cytometry: 1-2ug/10 ⁶ cells, Immunofluorescence: 1-2 ug/ml, Western blot: 1-2ug/ml, Immunohistochemistry (FFPE): 0.25-0.5ug/ml for 30 min at RT |
| Anwendungsbeschreibung | Optimal dilution of the recombinant Basic Cytokeratin antibody should be determined by the researcher. |