

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Nucleolin Antibody / NCL, Clone: [NCL/8695R], Rabbit, Monoclonal NSJ-V4962-20UG

| | |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname | Nucleolin Antibody / NCL, Clone: [NCL/8695R], Rabbit, Monoclonal |
| Artikelnummer | NSJ-V4962-20UG |
| Hersteller Artikelnummer | V4962-20UG |
| Alternativnummer | NSJ-V4962-20UG |
| Hersteller | NSJ Bioreagents |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Applikation | IHC-P, WB |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant full-length human NCL protein was used as the immunogen for the Nucleolin antibody. |
| Produktbeschreibung | Recognizes a protein of ~76kDa, which is identified as Nucleolin (NCL). It is the major nucleolar phosphoprotein of growing eukaryotic cells. NCL is located mainly in dense fibrillar regions of the nucleolus. It is found associated with intranucleola... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [NCL/8695R] |
| UniProt | P19338 |
| Reinheit | Protein A/G affinity |

| | |
|------------------------|------------------------------------------------------------------------------------|
| Formulierung | 0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide |
| Antibody Type | Primary Antibody |
| Application Verdünnung | Western blot: 1-2ug/ml, Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT |
| Anwendungsbeschreibung | Optimal dilution of the Nucleolin antibody should be determined by the researcher. |