

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### ICOS Ligand Antibody / ICOS-L / B7RP-1, Clone: [ISLG-1], Mouse, Monoclonal NSJ-V7532IHC-7ML

|                          |                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname              | ICOS Ligand Antibody / ICOS-L / B7RP-1, Clone: [ISLG-1], Mouse, Monoclonal                                                                                                                                                                                    |
| Artikelnummer            | NSJ-V7532IHC-7ML                                                                                                                                                                                                                                              |
| Hersteller Artikelnummer | V7532IHC-7ML                                                                                                                                                                                                                                                  |
| Alternativnummer         | NSJ-V7532IHC-7ML                                                                                                                                                                                                                                              |
| Hersteller               | NSJ Bioreagents                                                                                                                                                                                                                                               |
| Wirt                     | Mouse                                                                                                                                                                                                                                                         |
| Kategorie                | Antikörper                                                                                                                                                                                                                                                    |
| Applikation              | IHC-P                                                                                                                                                                                                                                                         |
| Spezies Reaktivität      | Human                                                                                                                                                                                                                                                         |
| Immunogen                | A recombinant fragment of human ICOSLG / B7RP-1 protein within amino acids 23-149 was used as the immunogen for the ICOS Ligand antibody.                                                                                                                     |
| Produktbeschreibung      | Ligand for the T-cell-specific cell surface receptor ICOS. Acts as a costimulatory signal for T-cell proliferation and cytokine secretion, induces also B-cell proliferation and differentiation into plasma cells. Could play an important role in mediat... |
| Klonalität               | Monoclonal                                                                                                                                                                                                                                                    |
| Klon-Bezeichnung         | [ISLG-1]                                                                                                                                                                                                                                                      |
| UniProt                  | <a href="#">O75144</a>                                                                                                                                                                                                                                        |

|                        |                                                                                                                                                                                                                                                                                                               |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reinheit               | Protein G affinity chromatography                                                                                                                                                                                                                                                                             |
| Formulierung           | Prediluted in 1X PBS, 0.1 mg/ml BSA (US sourced), 0.05% sodium azide, *For IHC use only*                                                                                                                                                                                                                      |
| Antibody Type          | Primary Antibody                                                                                                                                                                                                                                                                                              |
| Application Verdünnung | The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.                                                                                                   |
| Anwendungsbeschreibung | Optimal dilution of the ICOS Ligand antibody should be determined by the researcher. <sup>1</sup> The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min. |