

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Cytokeratin 10 Antibody, Clone: [SPM261], Mouse, Monoclonal NSJ-V9057IHC-7ML

Artikelname	Cytokeratin 10 Antibody, Clone: [SPM261], Mouse, Monoclonal
Artikelnummer	NSJ-V9057IHC-7ML
Hersteller Artikelnummer	V9057IHC-7ML
Alternativnummer	NSJ-V9057IHC-7ML
Hersteller	NSJ Bioreagents
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC-P
Spezies Reaktivität	Human
Immunogen	Skin extract of a human Psoriasis patient were used as the immunogen for this Cytokeratin 10 antibody.
Produktbeschreibung	CK10 is expressed in all suprabasal layers of the epidermis. In the epidermis, expression of CK10 strictly parallels the extent of differentiation, it is absent in the basal layer, appears in the first suprabasal layers and increases in concentration...
Klonalität	Monoclonal
Klon-Bezeichnung	[SPM261]
UniProt	<a href="#">P13645</a>
Reinheit	Protein G affinity chromatography

Formulierung	Prediluted in 1X PBS, 0.1 mg/ml BSA (US sourced), 0.05% sodium azide, *For IHC use only*
Antibody Type	Primary Antibody
Application Verdünnung	The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.
Anwendungsbeschreibung	The optimal dilution of the Cytokeratin 10 antibody for each application should be determined by the researcher.1. Staining of formalin-fixed tissues requires boiling tissue sections in pH 9 10mM Tris with 1mM EDTA for 10-20 min followed by cooling at RT for 20 minutes.2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.