

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Anti-NF-H Antibody, Clone: [SPM203], Mouse, Monoclonal NSJ-V9060SAF-100UG

Artikelname	Anti-NF-H Antibody, Clone: [SPM203], Mouse, Monoclonal
Artikelnummer	NSJ-V9060SAF-100UG
Hersteller Artikelnummer	V9060SAF-100UG
Alternativnummer	NSJ-V9060SAF-100UG
Hersteller	NSJ Bioreagents
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC-P, WB
Spezies Reaktivität	Human
Immunogen	The Triton-X 100 insoluble protein fraction from rat brain was used as the immunogen for this anti-NF-H antibody.
Produktbeschreibung	This mAb reacts with a 200kDa protein, identified as heavy subunit of neurofilaments. Neurofilaments make up the main structural elements of axons and dendrites and are found in neurons, peripheral nerves, and sympathetic ganglion cells. Neurofilamen...
Klonalität	Monoclonal
Klon-Bezeichnung	[SPM203]
UniProt	P12036
Reinheit	Protein G affinity chromatography

Formulierung	1 mg/ml in 1X PBS, BSA free, sodium azide free
Antibody Type	Primary Antibody
Application Verdünnung	Western blot: 1-2ug/ml, Immunohistochemistry (FFPE): 0.25-0.5ug/ml for 30 min at RT
Anwendungsbeschreibung	The optimal dilution of the anti-NF-H antibody for each application should be determined by the researcher. 1. Staining of formalin-fixed tissues requires boiling tissue sections in pH 9 10mM Tris with 1mM EDTA for 10-20 min followed by cooling at RT for 20 minutes. 2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.