

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Human TNFRSF17(Tumor Necrosis Factor Receptor Superfamily, Member 17) ELISA Kit EBT-ELK0498**

|                          |   |
|--------------------------|---|
| Artikelname              | Human TNFRSF17(Tumor Necrosis Factor Receptor Superfamily, Member 17) ELISA Kit |
| Artikelnummer            | EBT-ELK0498   |
| Hersteller Artikelnummer | ELK0498   |
| Alternativnummer         | EBT-ELK0498-96, EBT-ELK0498-48, EBT-ELK0498-96X5                                |
| Hersteller               | ELK Biotechnology   |
| Kategorie                | Kits/Assays   |
| Spezies Reaktivität      | Human   |
| Konzentration            | 10 ng/mL  |
| Detektionsbereich        | 0.16-10 ng/mL   |
| Sensitivitaet            | 0.071 ng/mL   |
| Proben                   | Serum, plasma and other biological fluids.                                      |

Anwendungsbeschreibung

Assay Type: Sandwich. Assay length: 3.5h. Research Area: Signal transduction,CD & Adhesion molecule,Tumor immunity,Gastroenterology,Autoimmunity,. Test principle: The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Human TNFRSF17. Standards or samples are added to the appropriate microtiter plate wells then with a biotin-conjugated antibody specific to Human TNFRSF17. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Human TNFRSF17, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm 10nm. The concentration of Human TNFRSF17 in the samples is then determined by comparing the OD of the samples to the standard curve