

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat GHRL(Ghrelin) ELISA Kit EBT-ELK0880

| | |
|--------------------------|--|
| Artikelname | Goat GHRL(Ghrelin) ELISA Kit |
| Artikelnummer | EBT-ELK0880 |
| Hersteller Artikelnummer | ELK0880 |
| Alternativnummer | EBT-ELK0880-96, EBT-ELK0880-48, EBT-ELK0880-96X5 |
| Hersteller | ELK Biotechnology |
| Kategorie | Kits/Assays |
| Spezies Reaktivität | Goat |
| Konzentration | 10 ng/mL |
| Detektionsbereich | 0.16-10 ng/mL |
| Sensitivitaet | 0.073 ng/mL |
| UniProt | Q6BEG7 |
| Proben | serum, plasma, cell lysates, saliva, cell culture supernates and other biological fluids |

| | |
|------------------------|---|
| Anwendungsbeschreibung | <p>Assay Type: Competitive Inhibition. Assay length: 2h. Research Area: Signal transduction, Metabolic pathway, Endocrinology, Gastroenterology, Hormone metabolism, .</p> <p>Test principle: This assay employs the competitive inhibition enzyme immunoassay technique. The microtiter plate provided in this kit has been pre-coated with Goat GHRL. Standards or samples are added to the appropriate microtiter plate wells then with a biotin-conjugated antibody specific to Goat GHRL. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm 10nm. The concentration of Goat GHRL in the samples is then determined by comparing the OD of the samples to the standard curve</p> |
|------------------------|---|