

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant Mouse Tpsb2 (C-6His) EBT-EPT037

| | |
|--------------------------|---|
| Artikelname | Recombinant Mouse Tpsb2 (C-6His) |
| Artikelnummer | EBT-EPT037 |
| Hersteller Artikelnummer | EPT037 |
| Alternativnummer | EBT-EPT037-10 |
| Hersteller | ELK Biotechnology |
| Kategorie | Proteine/Peptide |
| Produktbeschreibung | Recombinant Mouse Tryptase Beta-2 is produced by our Mammalian expression system and the target gene encoding Ala22-Ser276 is expressed with a 6His tag at the C-terminus.... |
| Molekulargewicht | Molecular weight: 29.3 KDa. Apparent molecular weight: 32-38 KDa, reducing conditions |
| UniProt | P21845 |
| Reinheit | Greater than 95% as determined by reducing SDS-PAGE. |

Anwendungsbeschreibung

Endotoxin: Less than 0.1 ng/μg (1 EU/μg) as determined by LAL test.
Background: Tryptase beta-2(Tpsb2), also known as Mast cell protease 6(mMCP-6), belongs to the peptidase S1 family and Tryptase subfamily. Tryptase is the major neutral protease present in mast cells and is secreted upon the coupled activation-degranulation response of this cell type. It plays a role in innate immunity. Tpsb2 can be detected primarily in skin during embryogenesis. Tpsb2 can not be detected at early embryonic stages but is abundantly expressed in later stages with a peak at E17.5-E18.5. Tryptase is a homotetramer. The active tetramer is converted to inactive monomers at neutral and acidic pH in the absence of heparin. Low concentrations of inactive monomers become active monomers at pH 6.0 in the presence of heparin. When the concentration of active monomers is higher, they convert to active monomers and then to active tetramers. These monomers are active and functionally distinct from the tetrameric enzyme. In contrast to the hidden active sites in the tetrameric form, the active site of the monomeric form is accessible for macromolecular proteins and inhibitors eg: fibrinogen which is a substrate for the monomeric but not for the tetrameric form. The monomeric form forms a complex with SERPINB6