

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Human Tumor necrosis factor receptor superfamily member 18 (TNFRSF18) ELISA Kit ASC-KTE60218

| | |
|--------------------------|---|
| Artikelname | Human Tumor necrosis factor receptor superfamily member 18 (TNFRSF18) ELISA Kit |
| Artikelnummer | ASC-KTE60218 |
| Hersteller Artikelnummer | KTE60218 |
| Alternativnummer | ASC-KTE60218-48, ASC-KTE60218-96 |
| Hersteller | Abbkine Scientific |
| Kategorie | Kits/Assays |
| Applikation | ELISA |
| Spezies Reaktivität | Human |
| Produktbeschreibung | This Human Tumor necrosis factor receptor superfamily member 18 (TNFRSF18) ELISA Kit employs a two-site sandwich ELISA to quantitate TNFRSF18.... |
| Detektionsbereich | Please inquire |
| Sensitivitaet | Please inquire |
| Tag | TNFRSF18 |
| NCBI | 8784 |
| UniProt | Q9Y5U5 |
| Proben | Cell culture supernatantsSerumPlasmaOther biological fluids |

Anwendungsbeschreibung

This Human Tumor necrosis factor receptor superfamily member 18 (TNFRSF18) ELISA Kit employs a two-site sandwich ELISA to quantitate TNFRSF18 in samples. An antibody specific for TNFRSF18 has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any TNFRSF18 present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for TNFRSF18 is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of TNFRSF18 bound in the initial step. The color development is stopped and the intensity of the color is measured.