

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Human Negative elongation factor C/D (TH1L) ELISA Kit ASC-KTE60520

| | |
|--------------------------|---|
| Artikelname | Human Negative elongation factor C/D (TH1L) ELISA Kit |
| Artikelnummer | ASC-KTE60520 |
| Hersteller Artikelnummer | KTE60520 |
| Alternativnummer | ASC-KTE60520-48, ASC-KTE60520-96 |
| Hersteller | Abbkine Scientific |
| Kategorie | Kits/Assays |
| Applikation | ELISA |
| Spezies Reaktivität | Human |
| Produktbeschreibung | This Human Negative elongation factor C/D (TH1L) ELISA Kit employs a two-site sandwich ELISA to quantitate TH1L.... |
| Detektionsbereich | Please inquire |
| Sensitivitaet | Please inquire |
| Tag | TH1L |
| NCBI | 51497 |
| UniProt | Q8IXH7 |
| Proben | Cell culture supernatantsSerumPlasmaOther biological fluids |

Anwendungsbeschreibung

This Human Negative elongation factor C/D (TH1L) ELISA Kit employs a two-site sandwich ELISA to quantitate TH1L in samples. An antibody specific for TH1L has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any TH1L present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for TH1L is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of TH1L bound in the initial step. The color development is stopped and the intensity of the color is measured.