

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Human Y+L amino acid transporter 1 (SLC7A7) ELISA Kit ASC-KTE60586

| | |
|--------------------------|---|
| Artikelname | Human Y+L amino acid transporter 1 (SLC7A7) ELISA Kit |
| Artikelnummer | ASC-KTE60586 |
| Hersteller Artikelnummer | KTE60586 |
| Alternativnummer | ASC-KTE60586-48, ASC-KTE60586-96 |
| Hersteller | Abbkine Scientific |
| Kategorie | Kits/Assays |
| Applikation | ELISA |
| Spezies Reaktivität | Human |
| Produktbeschreibung | This Human Y+L amino acid transporter 1 (SLC7A7) ELISA Kit employs a two-site sandwich ELISA to quantitate SLC7A7.... |
| Detektionsbereich | Please inquire |
| Sensitivitaet | Please inquire |
| Tag | SLC7A7 |
| NCBI | 9056 |
| UniProt | Q9UM01 |
| Proben | Cell culture supernatantsSerumPlasmaOther biological fluids |

Anwendungsbeschreibung

This Human Y+L amino acid transporter 1 (SLC7A7) ELISA Kit employs a two-site sandwich ELISA to quantitate SLC7A7 in samples. An antibody specific for SLC7A7 has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any SLC7A7 present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for SLC7A7 is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of SLC7A7 bound in the initial step. The color development is stopped and the intensity of the color is measured.