

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Human Solute carrier family 2, facilitated glucose transporter member 1 (SLC2A1) ELISA Kit ASC-KTE60608

| | |
|--------------------------|--|
| Artikelname | Human Solute carrier family 2, facilitated glucose transporter member 1 (SLC2A1) ELISA Kit |
| Artikelnummer | ASC-KTE60608 |
| Hersteller Artikelnummer | KTE60608 |
| Alternativnummer | ASC-KTE60608-48, ASC-KTE60608-96 |
| Hersteller | Abbkine Scientific |
| Kategorie | Kits/Assays |
| Applikation | ELISA |
| Spezies Reaktivität | Human |
| Produktbeschreibung | This Human Solute carrier family 2, facilitated glucose transporter member 1 (SLC2A1) ELISA Kit employs a two-site sandwich ELISA to quantitate SLC2A1.... |
| Detektionsbereich | Please inquire |
| Sensitivitaet | Please inquire |
| Tag | SLC2A1 |
| NCBI | 6513 |
| UniProt | P11166 |
| Proben | Cell culture supernatantsSerumPlasmaOther biological fluids |

Anwendungsbeschreibung

This Human Solute carrier family 2, facilitated glucose transporter member 1 (SLC2A1) ELISA Kit employs a two-site sandwich ELISA to quantitate SLC2A1 in samples. An antibody specific for SLC2A1 has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any SLC2A1 present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for SLC2A1 is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of SLC2A1 bound in the initial step. The color development is stopped and the intensity of the color is measured.