

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Human Proline-rich membrane anchor 1 (PRIMA1) ELISA Kit ASC-KTE61156

|                          |   |
|--------------------------|---|
| Artikelname              | Human Proline-rich membrane anchor 1 (PRIMA1) ELISA Kit   |
| Artikelnummer            | ASC-KTE61156  |
| Hersteller Artikelnummer | KTE61156  |
| Alternativnummer         | ASC-KTE61156-48, ASC-KTE61156-96  |
| Hersteller               | Abbkine Scientific  |
| Kategorie                | Kits/Assays   |
| Applikation              | ELISA   |
| Spezies Reaktivität      | Human   |
| Produktbeschreibung      | This Human Proline-rich membrane anchor 1 (PRIMA1) ELISA Kit employs a two-site sandwich ELISA to quantitate PRIMA1.... |
| Detektionsbereich        | Please inquire  |
| Sensitivitaet            | Please inquire  |
| Tag                      | PRIMA1  |
| NCBI                     | <a href="#">145270</a>  |
| UniProt                  | <a href="#">Q86XR5</a>  |
| Proben                   | Cell culture supernatantsSerumPlasmaOther biological fluids   |

|                        |  |
|------------------------|--|
| Anwendungsbeschreibung | <p>This Human Proline-rich membrane anchor 1 (PRIMA1) ELISA Kit employs a two-site sandwich ELISA to quantitate PRIMA1 in samples. An antibody specific for PRIMA1 has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any PRIMA1 present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for PRIMA1 is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of PRIMA1 bound in the initial step. The color development is stopped and the intensity of the color is measured.</p> |
|------------------------|--|