

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Human N-terminal procollagen III propeptide (PIIINP) ELISA Kit ASC-KTE61328

|                          |  |
|--------------------------|--|
| Artikelname              | Human N-terminal procollagen III propeptide (PIIINP) ELISA Kit   |
| Artikelnummer            | ASC-KTE61328   |
| Hersteller Artikelnummer | KTE61328   |
| Alternativnummer         | ASC-KTE61328-48, ASC-KTE61328-96   |
| Hersteller               | Abbkine Scientific   |
| Kategorie                | Kits/Assays  |
| Applikation              | ELISA  |
| Spezies Reaktivität      | Human  |
| Produktbeschreibung      | This Human N-terminal procollagen III propeptide (PIIINP) ELISA Kit employs a two-site sandwich ELISA to quantitate PIIINP.... |
| Detektionsbereich        | Please inquire   |
| Sensitivitaet            | Please inquire   |
| Tag                      | PIIINP   |
| Proben                   | Cell culture supernatantsSerumPlasmaOther biological fluids  |

Anwendungsbeschreibung

This Human N-terminal procollagen III propeptide (PIIINP) ELISA Kit employs a two-site sandwich ELISA to quantitate PIIINP in samples. An antibody specific for PIIINP has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any PIIINP present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for PIIINP is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of PIIINP bound in the initial step. The color development is stopped and the intensity of the color is measured.