

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Mouse Vitamin D3 receptor (VDR) ELISA Kit ASC-KTE70023

| | |
|--------------------------|--|
| Artikelname | Mouse Vitamin D3 receptor (VDR) ELISA Kit |
| Artikelnummer | ASC-KTE70023 |
| Hersteller Artikelnummer | KTE70023 |
| Alternativnummer | ASC-KTE70023-48, ASC-KTE70023-96 |
| Hersteller | Abbkine Scientific |
| Kategorie | Kits/Assays |
| Applikation | ELISA |
| Spezies Reaktivität | Mouse |
| Produktbeschreibung | This Mouse Vitamin D3 receptor (VDR) ELISA Kit employs a two-site sandwich ELISA to quantitate VDR.... |
| Detektionsbereich | Please inquire |
| Sensitivitaet | Please inquire |
| Tag | VDR |
| NCBI | 22337 |
| UniProt | P48281 |
| Proben | Cell culture supernatantsSerumPlasmaOther biological fluids |

Anwendungsbeschreibung

This Mouse Vitamin D3 receptor (VDR) ELISA Kit employs a two-site sandwich ELISA to quantitate VDR in samples. An antibody specific for VDR has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any VDR present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for VDR is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of VDR bound in the initial step. The color development is stopped and the intensity of the color is measured.