

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Anti-CD79a (B-Cell Marker) Recombinant Rabbit Monoclonal Antibody (Clone:IGA/1790R), Clone: [IGA/1790R] ABI-12-1127**

|                          |   |
|--------------------------|---|
| Artikelname              | Anti-CD79a (B-Cell Marker) Recombinant Rabbit Monoclonal Antibody (Clone:IGA/1790R), Clone: [IGA/1790R]   |
| Artikelnummer            | ABI-12-1127   |
| Hersteller Artikelnummer | 12-1127   |
| Alternativnummer         | ABI-12-1127-100UG   |
| Hersteller               | Abeomics  |
| Wirt                     | Rabbit  |
| Kategorie                | Sonstiges   |
| Applikation              | FACS, IF, IHC, WB   |
| Spezies Reaktivität      | Human, Mouse, Rat   |
| Immunogen                | A synthetic peptide corresponding to aa 202-216 (GTYQDVGSLNIADVQ) of human CD79a protein.   |
| Produktbeschreibung      | A disulphide-linked heterodimer, consisting of mb-1 (or CD79a) and B29 (or CD79b) polypeptides, is non-covalently associated with membrane-bound immunoglobulins on B cells. This complex of mb-1 and B29 polypeptides and immunoglobulin constitute the B... |
| Klonalität               | Monoclonal  |
| Klon-Bezeichnung         | [IGA/1790R]   |
| NCBI                     | <a href="#">973</a>   |

|                        |  |
|------------------------|--|
| UniProt                | <a href="#">P11912</a>   |
| Reinheit               | Protein A/G  |
| Formulierung           | Purified   |
| Antibody Type          | Recombinant Antibody   |
| Application Verdünnung | Immunofluorescence (1-2µg/ml), Flow Cytometry (1-2µg/million cells), Western Blot (1-2µg/ml), Immunohistochemistry (Formalin-fixed) (1-2µg/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM ED |