

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Anti-CD3e (T-Cell Marker) Monoclonal Antibody(Clone: C3e/1931), Clone: [C3e/1931], Mouse ABI-36-3468**

|                          |   |
|--------------------------|---|
| Artikelname              | Anti-CD3e (T-Cell Marker) Monoclonal Antibody(Clone: C3e/1931), Clone: [C3e/1931], Mouse  |
| Artikelnummer            | ABI-36-3468   |
| Hersteller Artikelnummer | 36-3468   |
| Alternativnummer         | ABI-36-3468-100UG   |
| Hersteller               | Abeomics  |
| Wirt                     | Mouse   |
| Kategorie                | Antikörper  |
| Applikation              | ELISA, FACS, IHC, WB  |
| Spezies Reaktivität      | Human   |
| Immunogen                | A recombinant human CD3e protein fragment (around aa 23-119) (exact sequence is proprietary)  |
| Produktbeschreibung      | Recognizes the epsilon-chain of CD3, which consists of five different polypeptide chains (designated as gamma, delta, epsilon, zeta, and eta) with MW ranging from 16-28kDa. The CD3 complex is closely associated at the lymphocyte cell surface with the... |
| Klonalität               | Monoclonal  |
| Klon-Bezeichnung         | [C3e/1931]  |
| NCBI                     | <a href="#">916</a>   |

|                        |   |
|------------------------|---|
| UniProt                | <a href="#">P07766</a>  |
| Application Verdünnung | ELISA (Use Ab at 2-4ug/ml for coating) (Order Ab without BSA), Flow Cytometry (1-2ug/million cells), Western Blot (1-2ug/ml), ,Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissu |