

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Anti-SMARCAD1 Antibody Picoband, Rabbit, Polyclonal BOB-A06049-1

| | |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname | Anti-SMARCAD1 Antibody Picoband, Rabbit, Polyclonal |
| Artikelnummer | BOB-A06049-1 |
| Hersteller Artikelnummer | A06049-1 |
| Alternativnummer | BOB-A06049-1-100UG |
| Hersteller | Boster Bio |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Applikation | ELISA, FC, ICC, IF, IHC, IP, WB |
| Spezies Reaktivität | Human, Mouse, Rat |
| Immunogen | E.coli-derived human SMARCAD1 recombinant protein (Position: D827-T1002). |
| Produktbeschreibung | Boster Bio Anti-SMARCAD1 Antibody Picoband catalog A06049-1. Tested in ELISA, Flow Cytometry, IP, IF, IHC, ICC, WB applications. This antibody reacts with Human, Mouse, Rat. The brand Picoband indicates this is a premium antibody that guarantees sup... |
| Klonalität | Polyclonal |
| Konzentration | Adding 0.2 ml of distilled water will yield a concentration of 500 µg/ml. |
| Molekulargewicht | Observed Molecular Weight: 150 kDa. Calculated Molecular Weight: 80420 MW |

| | |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NCBI | 56916 |
| UniProt | Q9H4L7 |
| Puffer | Each vial contains 4mg Trehalose, 0.9mg NaCl, 0.2mg Na ₂ HPO ₄ , 0.01mg NaN ₃ . |
| Reinheit | Immunogen affinity purified. |
| Formulierung | Lyophilized |
| Target-Kategorie | SWI/SNF-related matrix-associated actin-dependent regulator of chromatin subfamily A containing DEAD/H box 1 |
| Application Verdünnung | Western blot, 0.1-0.5µg/ml Immunohistochemistry (Paraffin-embedded Section), 0.5-1µg/ml Immunocytochemistry/Immunofluorescence, 2µg/ml Immunoprecipitation, 0.5-2 µg/ml, Human Flow Cytometry (Fixed), 1-3µg/1x10 ⁶ cells ELISA, 0.1-0.5µg/ml |