

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Rat IgG1 Lambda isotype control Antibody, Clone: [RG1L], Unconjugated, Monoclonal BYT-ORB343808**

|                          |   |
|--------------------------|---|
| Artikelname              | Rat IgG1 Lambda isotype control Antibody, Clone: [RG1L], Unconjugated, Monoclonal   |
| Artikelnummer            | BYT-ORB343808   |
| Hersteller Artikelnummer | orb343808   |
| Alternativnummer         | BYT-ORB343808-500   |
| Hersteller               | Biorbyt   |
| Kategorie                | Antikörper  |
| Applikation              | FC, SDS-PAGE  |
| Konjugation              | Unconjugated  |
| Produktbeschreibung      | Rat IgG1 Lambda isotype control Antibody...   |
| Klonalität               | Monoclonal  |
| Konzentration            | 1.0 mg/mL   |
| Klon-Bezeichnung         | [RG1L]  |
| Isotyp                   | IgG1  |
| Puffer                   | Preservative: 0.01% (w/v) Sodium Azide. Stabilizer: None, Buffer: 0.02 M Potassium Phosphate, 0.5 M Sodium Chloride, pH 7.2 |
| Quelle                   | Rat   |

|                        |  |
|------------------------|--|
| Reinheit               | RAT IgG1 Lambda isotype control has been prepared from concentrated cell culture supernatant by immunoaffinity chromatography using protein G. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rat IgG1 and anti-Rat serum. Isotyping assay resulted non-reactive with antisera to Rat IgG2a, IgG2b, IgG3, IgM, and IgA. Light and heavy chain composition has been confirmed by SDS-PAGE. |
| Formulierung           | Liquid (sterile filtered)  |
| Application Verdünnung | FC: 1:1000-1:5000  |
| Anwendungsbeschreibung | Biological Origin: Rat. Application Notes: RAT IgG1 Lambda isotype control has been tested in SDS-Page and can be utilized as a control or standard reagent in Western Blotting, Flow Cytometry, and ELISA experiments where determination of sample isotype is important. Specific conditions should be optimized by user   |