

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Human Glucose transporter 4 (GLUT4) ELISA Kit BYT-ORB3146331

|                          |   |
|--------------------------|---|
| Artikelname              | Human Glucose transporter 4 (GLUT4) ELISA Kit   |
| Artikelnummer            | BYT-ORB3146331  |
| Hersteller Artikelnummer | orb3146331  |
| Alternativnummer         | BYT-ORB3146331-48, BYT-ORB3146331-5, BYT-ORB3146331-50, BYT-ORB3146331-96                                     |
| Hersteller               | Biorbyt   |
| Kategorie                | Kits/Assays   |
| Applikation              | ELISA   |
| Spezies Reaktivität      | Human   |
| Produktbeschreibung      | This Human Glucose transporter 4 (GLUT4) ELISA Kit employs a two-site sandwich ELISA to quantitate SLC2A4.... |
| Detektionsbereich        | Please inquire  |
| Sensitivitaet            | Please inquire  |
| Proben                   | Cell culture supernatantsSerumPlasmaOther biological fluids   |

Anwendungsbeschreibung

Application Notes: This Human Glucose transporter 4 (GLUT4) ELISA Kit employs a two-site sandwich ELISA to quantitate SLC2A4 in samples. An antibody specific for SLC2A4 has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any SLC2A4 present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for SLC2A4 is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of SLC2A4 bound in the initial step. The color development is stopped and the intensity of the color is measured