

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Simian FDP(Fibrinogen Degradation Product) ELISA Kit BYT-ORB3127021

Artikelname	Simian FDP(Fibrinogen Degradation Product) ELISA Kit
Artikelnummer	BYT-ORB3127021
Hersteller Artikelnummer	orb3127021
Alternativnummer	BYT-ORB3127021-48, BYT-ORB3127021-96
Hersteller	Biorbyt
Kategorie	Kits/Assays
Spezies Reaktivität	Primate
Produktbeschreibung	Simian FDP(Fibrinogen Degradation Product) ELISA Kit...
Detektionsbereich	0.16-10 µg/mL
Sensitivitaet	0.055 µg/mL
Proben	plasma

Anwendungsbeschreibung

Application Notes: The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Simian FDP. Standards or samples are added to the appropriate microtiter plate wells then with a biotin-conjugated antibody specific to Simian FDP. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Simian FDP, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm 10nm. The concentration of Simian FDP in the samples is then determined by comparing the OD of the samples to the standard curve