

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Anti-FAM83D Antibody Picoband Biotin Conjugated, Rabbit, Polyclonal BOB-A08800-1-BIOTIN

|                          |   |
|--------------------------|---|
| Artikelname              | Anti-FAM83D Antibody Picoband Biotin Conjugated, Rabbit, Polyclonal       |
| Artikelnummer            | BOB-A08800-1-BIOTIN   |
| Hersteller Artikelnummer | A08800-1-Biotin   |
| Alternativnummer         | BOB-A08800-1-BIOTIN-100UG   |
| Hersteller               | Boster Bio  |
| Wirt                     | Rabbit  |
| Kategorie                | Antikörper  |
| Applikation              | ELISA, IHC, WB  |
| Spezies Reaktivität      | Human   |
| Immunogen                | E.coli-derived human FAM83D recombinant protein (Position: P44-H559).     |
| Klonalität               | Polyclonal  |
| Konzentration            | Adding 0.2 ml of distilled water will yield a concentration of 500 µg/ml. |
| Molekulargewicht         | Calculated Molecular Weight: 64 kDa                                       |
| NCBI                     | <a href="#">81610</a>   |
| UniProt                  | <a href="#">Q9H4H8</a>  |

|                        |   |
|------------------------|---|
| Puffer                 | Each vial contains 50% glycerol, 0.9% NaCl, 0.2% Na <sub>2</sub> HPO <sub>4</sub> , 0.02% NaN <sub>3</sub> .  |
| Reinheit               | Immunogen affinity purified.  |
| Formulierung           | Liquid  |
| Target-Kategorie       | Protein FAM83D  |
| Application Verdünnung | Western blot, Optimal dilutions should be determined by end users. Immunohistochemistry (Paraffin-embedded Section), Optimal dilutions should be determined by end users. ELISA, Optimal dilutions should be determined by end users. |