BIOZOL

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Mouse IgG1 anti-Human IgG (Fc)-unconj., MinX none, Clone: [3D8.H7.D4], Monoclonal , Unconjugated
DNA-SEC-182571

Artikelname	Mouse IgG1 anti-Human IgG (Fc)-unconj., MinX none, Clone: [3D8.H7.D4], Monoclonal , Unconjugated
Artikelnummer	DNA-SEC-182571
Hersteller Artikelnummer	SEC-182571
Alternativnummer	DNA-SEC-182571
Hersteller	dianova
Wirt	Mouse
Kategorie	Antikörper
Applikation	ELISA,WB
Spezies Reaktivität	Human
Immunogen	Anti-Human IgG F(c) monoclonal antibody was produced by repeated immunization with Human IgG F(c) fragment in mice.
Konjugation	Unconjugated
Format	IgG1
Spezifität	IgG (Fc)

Minimale Kreuzreaktivität (MinX)	no cross-adsorbtion
Produktbeschreibung	Anti-Human IgG F(c) generated in mouse detects Human F(c). A proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme papain under controlled conditions of temperature, time and pH. Receptors bind the Fc portion of...
Klonalität	Monoclonal
Konzentration	1.0 mg/ml
Klon-Bezeichnung	[3D8.H7.D4]
Isotyp	IgG1
Puffer	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Reinheit	Anti-Human IgG F(c) Antibody was prepared from concentrated roller bottle supernatant by Protein A chromatography sepharose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Mouse Serum, Human IgG, Human Serum and Human F(c). No reaction was observed against Human F(ab).
Formulierung	Liquid (sterile filtered)
Formel	20 mM K3PO4,150 mM NaCl,pH 7,2,sterile filtered,0,01% NaN3
Target-Kategorie	Human
Antibody Type	Secondary Antibody
Application Verdünnung	ELISA Dilution: 1-:1000-1:10000, Western Blot Dilution: 1:1000 - 1:2000
Anwendungsbeschreibung	Human IgG F(c) antibody is suitable for immunoelectrophoresis, western-blot, competitive western-blot, ELISA and competitive ELISA assays. Specific conditions for reactivity and signal detection should be optimized by the end user.