

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Anti-Ms CD28 Purified Low Endotoxin, Clone: [37.51], Monoclonal EXB-12-597-C100

| | |
|--------------------------|---|
| Artikelname | Anti-Ms CD28 Purified Low Endotoxin, Clone: [37.51], Monoclonal |
| Artikelnummer | EXB-12-597-C100 |
| Hersteller Artikelnummer | 12-597-C100 |
| Alternativnummer | EXB-12-597-C100 |
| Hersteller | EXBIO |
| Kategorie | Antikörper |
| Applikation | FA, FC, ICC, IHC-Fr, IP |
| Spezies Reaktivität | Mouse |
| Immunogen | Mouse T cell lymphoma EL-4 cells |
| Produktbeschreibung | CD28 is the critical T cell costimulatory receptor which provides to the cell the important second activation signal by binding CD80 and CD86 that are expressed by antigen presenting cells. Besides its costimulation role CD28 functions in preventing ... |
| Klonalität | Monoclonal |
| Konzentration | 1 mg/ml |
| Klon-Bezeichnung | [37.51] |
| Isotyp | Golden Syrian Hamster IgG |
| Puffer | Phosphate buffered saline (PBS), pH 7.4 |
| Lagerung | 2°C to 8°C |

| | |
|------------------------|---|
| Target-Kategorie | CD28 |
| Antibody Type | Monoclonal Antibody |
| Anwendungsbeschreibung | Functional application: In vitro and in vivo T cell costimulation. Flow cytometry: Recommended dilution: 6 µg / ml. Immunocytochemistry: Recommended dilution: 1-4 µg / ml. Immunoprecipitation: Recommended dilution: 1-2 µg / 100-500 µg of protein in 1 ml lysate. |