

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Anti-Hu CD80 PE, Clone: [MEM-233], Monoclonal EXB-1P-287-T100

| | |
|--------------------------|---|
| Artikelname | Anti-Hu CD80 PE, Clone: [MEM-233], Monoclonal |
| Artikelnummer | EXB-1P-287-T100 |
| Hersteller Artikelnummer | 1P-287-T100 |
| Alternativnummer | EXB-1P-287-T100 |
| Hersteller | EXBIO |
| Kategorie | Antikörper |
| Applikation | FC |
| Spezies Reaktivität | Human |
| Immunogen | Extracellular domain of human CD80 fused to human IgG1(Fc) |
| Konjugation | PE |
| Produktbeschreibung | CD80 (B7-1) and CD86 (B7-2) are ligands of T cell critical costimulatory molecule CD28 and of an inhibitory receptor CTLA-4 (CD152). The both B7 molecules are expressed on professional antigen-presenting cells and are essential for T cell activation,... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [MEM-233] |
| Isotyp | Mouse IgG1 |
| Puffer | Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide |

| | |
|------------------------|---|
| Lagerung | 2°C to 8°C |
| Target-Kategorie | CD80 |
| Antibody Type | Monoclonal Antibody |
| Application Verdünnung | Flow cytometry: The reagent is designed for analysis of human blood cells using 20 µl reagent / 100 µl of whole blood or 10 ⁶ cells in a suspension. The content of a vial (2 ml) is sufficient for 100 tests. |
| Anwendungsbeschreibung | Flow cytometry: The reagent is designed for analysis of human blood cells using 20 µl reagent / 100 µl of whole blood or 10 ⁶ cells in a suspension. The content of a vial (2 ml) is sufficient for 100 tests. |