

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Anti-Hu CD71 Pacific Blue, Clone: [MEM-75], Monoclonal EXB-PB-235-T100

|                          |   |
|--------------------------|---|
| Artikelname              | Anti-Hu CD71 Pacific Blue, Clone: [MEM-75], Monoclonal  |
| Artikelnummer            | EXB-PB-235-T100   |
| Hersteller Artikelnummer | PB-235-T100   |
| Alternativnummer         | EXB-PB-235-T100   |
| Hersteller               | EXBIO   |
| Kategorie                | Antikörper  |
| Applikation              | FC  |
| Spezies Reaktivität      | Human   |
| Immunogen                | NALM-6 human pre-B cell line  |
| Konjugation              | Pacific Blue  |
| Produktbeschreibung      | CD71 (transferrin receptor) is a type II transmembrane glycoprotein expressed as homodimer in erythroid blood cell line and in activated leukocytes. Upon binding of holotransferrin (complex of transferrin and iron ions), CD71 is internalized by clath... |
| Klonalität               | Monoclonal  |
| Klon-Bezeichnung         | [MEM-75]  |
| Isotyp                   | Mouse IgG1  |
| Puffer                   | Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide   |

|                        |  |
|------------------------|--|
| Lagerung               | 2°C to 8°C   |
| Target-Kategorie       | CD71   |
| Antibody Type          | Monoclonal Antibody  |
| Application Verdünnung | Flow cytometry: The reagent is designed for analysis of human blood cells using 4 µl reagent / 100 µl of whole blood or 10 <sup>6</sup> cells in a suspension. The content of a vial (0.4 ml) is sufficient for 100 tests. |
| Anwendungsbeschreibung | Flow cytometry: The reagent is designed for analysis of human blood cells using 4 µl reagent / 100 µl of whole blood or 10 <sup>6</sup> cells in a suspension. The content of a vial (0.4 ml) is sufficient for 100 tests. |