

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Goat anti-Llama IgG (H&L), TRITC conjugated, Polyclonal AGR-AS10-1421

|                          |   |
|--------------------------|---|
| Artikelname              | Goat anti-Llama IgG (H&L), TRITC conjugated, Polyclonal   |
| Artikelnummer            | AGR-AS10-1421   |
| Hersteller Artikelnummer | AS10-1421   |
| Alternativnummer         | AGR-AS10-1421   |
| Hersteller               | Agrisera  |
| Wirt                     | Goat  |
| Kategorie                | Antikörper  |
| Immunogen                | Purified llama IgG (H&L) AAQ19986   |
| Konjugation              | tritic  |
| Produktbeschreibung      | Goat anti-llama IgG (H&L) is a secondary antibody conjugated to TRITC, which binds to llama immunoglobulins (H&L) in immunological assays. Antibody is affinity purified using solid phase llama IgG (H&L). Tetramethylrhodamine-5-isothiocyanate (TRITC) ... |
| Klonalität               | Polyclonal  |
| Reinheit                 | Immunogen affinity purified goat IgG.   |
| Formulierung             | Lyophilized   |
| Antibody Type            | Polyclonal Antibody   |
| Application Verdünnung   | The optimal working dilution should be determined by the investigator, Suggested starting dilution(s): 1 : 20-1 : 2000 for most applications  |

Anwendungsbeschreibung

For reconstitution add 1,1 ml of sterile water, Let it stand 30 minutes at room temperature to dissolve, Prepare fresh working dilutions daily