

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat IgG anti-Cat IgG (Fc)-Alk. Phos., MinX none DNA-SEC-182753

| | |
|----------------------------------|---|
| Artikelname | Goat IgG anti-Cat IgG (Fc)-Alk. Phos., MinX none |
| Artikelnummer | DNA-SEC-182753 |
| Hersteller Artikelnummer | SEC-182753 |
| Alternativnummer | DNA-SEC-182753 |
| Hersteller | dianova |
| Wirt | Goat |
| Kategorie | Antikörper |
| Applikation | ELISA,IHC,WB |
| Spezies Reaktivität | Feline |
| Immunogen | Cat IgG F(c) fragment |
| Konjugation | Alk. Phos. |
| Format | IgG |
| Spezifität | IgG (Fc) |
| Minimale Kreuzreaktivität (MinX) | no cross-adsorbtion |
| Produktbeschreibung | Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as well as fungi and facilitates their destruction or neutralization via agglu... |
| Klonalität | Polyclonal |

| | |
|------------------------|---|
| Konzentration | 1.0 mg/mL |
| Isotyp | Ig |
| Puffer | 0.05 M Tris Chloride, 0.15M Sodium Chloride, 0.001M Magnesium Chloride, 0.0001M Zinc Chloride, 50% (v/v) Glycerol, pH 8.0 |
| Reinheit | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Cat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Alkaline Phosphatase (calf intestine), anti-Goat Serum, Cat IgG, Cat IgG F(c) and Cat Serum. No reaction was observed against Cat IgG F(ab). |
| Formulierung | Liquid (sterile filtered) |
| Formel | 50 mM TrisHCl,150 mM NaCl,1 mM MgCl,0,1 mM ZnCl,50% (v/v) Glycerol,pH 8,0,sterile filtered,0,01% NaN3 |
| Target-Kategorie | Cat |
| Antibody Type | Secondary Antibody |
| Application Verdünnung | ELISA Dilution: 1:1,000 - 1:5,000, Immunohistochemistry Dilution: 1:200 - 1:1,000, Western Blot Dilution: 1:500 - 1:2,500 |
| Anwendungsbeschreibung | Anti-Cat IgG F(c) Alk Phos conjugate is suitable for immunoblotting (western or dot blot), ELISA, immunoelectron microscopy and immunohistochemistry as well as other antibody-based enzymatic assays requiring lot-to-lot consistency. |