

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat IgG anti-Mouse IgG (H+L)-HRPO, MinX Hu DNA-SEC-183177

| | |
|----------------------------------|---|
| Artikelname | Goat IgG anti-Mouse IgG (H+L)-HRPO, MinX Hu |
| Artikelnummer | DNA-SEC-183177 |
| Hersteller Artikelnummer | SEC-183177 |
| Alternativnummer | DNA-SEC-183177 |
| Hersteller | dianova |
| Wirt | Goat |
| Kategorie | Antikörper |
| Applikation | ELISA,IHC,WB |
| Spezies Reaktivität | Mouse |
| Immunogen | Mouse IgG whole molecule |
| Konjugation | HRPO |
| Format | IgG |
| Spezifität | IgG (H+L) |
| Minimale Kreuzreaktivität (MinX) | Human |
| Produktbeschreibung | Anti-Mouse IgG Peroxidase Antibody generated in goat detects reactivity to Mouse IgG. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, ba... |
| Klonalität | Polyclonal |

| | |
|------------------------|---|
| Konzentration | 1.0 mg/mL |
| Isotyp | Ig |
| Puffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |
| Reinheit | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgG coupled to agarose. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Goat Serum, Mouse IgG and Mouse Serum. No reaction was observed against Human Serum Proteins. |
| Formulierung | Lyophilized |
| Formel | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% Gentamicin |
| Target-Kategorie | Mouse |
| Antibody Type | Secondary Antibody |
| Application Verdünnung | ELISA Dilution: 1:100,000, Immunohistochemistry Dilution: User Optimized, Western Blot Dilution: 1:2,000 - 1:10,000 |
| Anwendungsbeschreibung | Mouse secondary antibody conjugated to horseradish peroxidase is available in a variety of formats. Anti IgG secondary antibody conjugated is suitable for ELISA, Immunohistochemistry, western blotting, as well as other peroxidase antibody based assays. |