

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **CD45RO(UCHL1 + T200/797), 0.2mg/mL, Clone: [UCHL-1 + T200/797], Mouse, Monoclonal BOT-BNUB1209-100**

Article Name	CD45RO(UCHL1 + T200/797), 0.2mg/mL, Clone: [UCHL-1 + T200/797], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNUB1209-100
Supplier Catalog Number	BNUB1209-100
Alternative Catalog Number	BOT-BNUB1209-100-100UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	IHC, WB
Species Reactivity	Human
Immunogen	Cultured human T-cells from an IL-2-dependent T-cell line (CA1)
Product Description	Recognizes a 180-185 kDa protein, identified as isoform of leukocyte common antigen (CD45RO). This antibody reacts with mature activated T-cells, most thymocytes, and a sub-population of resting T-cells within both CD4 and CD8 subsets. It shows no re...
Clonality	Monoclonal
Concentration	0.2 mg/mL
Clone Designation	[UCHL-1 + T200/797]
Molecular Weight	180-185 kDa

UniProt	<a href="#">P08575</a>
Buffer	PBS, 0.05% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 0.25-0.5 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user