

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **Mouse anti Human CD27, conjugated with PE, IgG1, Clone: [DEN-3], RPE, Monoclonal NMB-0274**

|                            |  |
|----------------------------|--|
| Article Name               | Mouse anti Human CD27, conjugated with PE, IgG1, Clone: [DEN-3], RPE, Monoclonal   |
| Biozol Catalog Number      | NMB-0274   |
| Supplier Catalog Number    | 0274   |
| Alternative Catalog Number | NMB-0274   |
| Manufacturer               | NordicMubio  |
| Host                       | Mouse  |
| Category                   | Antikörper   |
| Application                | FC   |
| Species Reactivity         | Human  |
| Conjugation                | RPE  |
| Product Description        | The CD27 antigen recognizes disulfide-linked dimer nerve growth factor (NGF) super family of cells expressing the 55kD surface antigen. CD27 acts as a co-stimulatory on T lymphocytes with its ligand of CD70.... |
| Clonality                  | Monoclonal   |
| Concentration              | Titered for flow cytometry   |
| Clone Designation          | [DEN-3]  |
| Isotype                    | IgG1   |

|                   |  |
|-------------------|--|
| UniProt           | <a href="#">P26842</a>   |
| Buffer            | Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein   |
| Purity            | Protein A/G Chromatography   |
| Formula           | Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein   |
| Application Notes | PBMC: Add 10 µl of MAB/10 <sup>6</sup> PBMC in 100 µl PBS. Mix gently and incubate for 15 minutes at 2 to 8C. Wash twice with PBS and analyze or fix with 0.5% v/v of paraformaldehyde in PBS and analyze. WHOLE BLOOD: Add 10 µl of MAB/100 µl of whole blood. Mix gently |