

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Mouse anti Human CD11a, conjugated with Biotin, IgG2a, Clone: [OFYS], Monoclonal NMB-11A3

| | |
|----------------------------|---|
| Article Name | Mouse anti Human CD11a, conjugated with Biotin, IgG2a, Clone: [OFYS], Monoclonal |
| Biozol Catalog Number | NMB-11A3 |
| Supplier Catalog Number | 11A3 |
| Alternative Catalog Number | NMB-11A3 |
| Manufacturer | NordicMubio |
| Host | Mouse |
| Category | Antikörper |
| Application | FC |
| Species Reactivity | Human |
| Conjugation | Biotin |
| Product Description | CD11a, Leukocyte Function Antigen-1 (LFA-1) complex is a heterodimeric glycoprotein consisting of two non-covalently linked chains, a 180 kDa alpha chain and a 95 kDa beta chain. It is a member of the integrin supergene family of adhesion molecules, ... |
| Clonality | Monoclonal |
| Concentration | Titered for flow cytometry |
| Clone Designation | [OFYS] |
| Isotype | IgG2a |

| | |
|-------------------|---|
| UniProt | P20701 |
| Buffer | Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein |
| Purity | Protein A/G Chromatography |
| Form | Biotin |
| Formula | Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein |
| Application Notes | <p>PBMC: Add 10 µl of MAB/10 6 PBMC in 100 µl PBS. Mix gently and incubate for 15 minutes at 2 to 8C. Wash twice with PBS and analyze or fix with 0.5% v/v of paraformaldehyde in PBS and analyze.</p> <p>WHOLE BLOOD: Add 10 µl of MAB/100 µl of whole blood. Mix gently and incubate for 15 minutes at room temperature (20C). Lyse the whole blood. Wash once with PBS and analyze or fix with 0.5% v/v of paraformaldehyde in PBS and analyze. See instrument manufacturers instructions for Lysed Whole Blood and Immunofluorescence analysis with a flow cytometer or microscope.</p> |